






































PRODUCTS	BIMAX 152, BIMAX 162 TURBO	BIMAX 182 TURBO	TELMIG 150/1, TELMIG 161/1 TURBO	TELMIG 170/1, 180/2, TELMIG 183/2 TURBO DIGITAL MIG 180
ACCESSOIRES				
Toorts Torche	 2 m ☐ 830742402	2,5 m ☐ 830742082	2 m ☐ 830742901	2,5 m ☐ 170/1, 180/1, 183/2 ☐ 830742405 3 m ☐ 180 ☐ 830742180 4 m ☐ 180 ☐ 830742181
Lastip Tube contact	 Staal / Acier 20 PCS Ø 0,6 ☐ 830722415 Ø 0,8 ☐ 830722416	Ø 0,6 ☐ 830722415 Ø 0,8 ☐ 830722416	Ø 0,6 ☐ 830722415 Ø 0,8 ☐ 830722416	Ø 0,6 ☐ 830722415 Ø 0,8 ☐ 830722416
Lastip Tube contact	 Al/Flux 20 PCS Ø 0,8 ☐ 830722556 Ø 1 ☐ 830722552 Ø 1,2 ☐ 830722553	Ø 0,8 ☐ 830722556 Ø 1 ☐ 830722552 Ø 1,2 ☐ 830722553	Ø 0,8 ☐ 830722556 Ø 1 ☐ 830722552	Ø 0,8 ☐ 830722556 Ø 1 ☐ 830722552
Bek conisch Bec conique	 10 PCS ☐ 830722423	☐ 830722423	☐ 830722423	☐ 830722423
Bek met fijne kop Bec à tête fine	 10 PCS -	-	☐ 830722151	☐ 830722151
Bek cilindrisch Bec cylindrique	 10 PCS ☐ 830722149	☐ 830722149	☐ 830722149	☐ 830722149
Bek spotlas nagels Bec pointage clous	 -	-	☐ 830722672	☐ 830722672
Bek spotlas Bec pointage	 -	-	☐ 830722150	☐ 830722150
Draadgeleider Gaine pour fil	Fe 3 m ▶ Ø 0,6+0,8 ☐ 830722077	Ø 0,6+0,8 ☐ 830742422	Ø 0,6+0,8 ☐ 830742412	Ø 0,6+0,8 ☐ 170/1, 180/2, 183/2 ☐ 830742413 ☐ D.M. 180 ☐ 830722437
	Fe 5 m ▶ -	-	-	Ø 0,6+0,8 ☐ D.M. 180 ☐ 830722712 Ø 1+1,2 ☐ D.M. 180 ☐ 830722766
	Al 3 m ▶ -	-	-	Ø 1+1,2 ☐ D.M. 180 ☐ 830722516
Zwanehals Lance	 ☐ 830722078	☐ 830722305	☐ 830722078	☐ 170/1, 180/2, 183/2 ☐ 830722078 ☐ D.M. 180 ☐ 830722305
Veer voor bek Ressort pour bec	 10 PCS ☐ 830722319	☐ 830722319	☐ 830722319	☐ 830722319
Aandrijfrol Galets	Fe  Ø 0,6+0,9 ☐ 830722529	Ø 0,6+0,8 ☐ 830722019	Ø 0,6+0,8 ☐ 830722019	Ø 0,6+0,8 ☐ 830722019
	Al  Ø 1 ☐ 830722629	Ø 1 ☐ 830722629	Ø 1 ☐ 150/1 ☐ 830722629	Ø 1 ☐ 830722629
	Flux  Ø 0,6+0,9 ☐ 830722529 Ø 0,9+1,2 ☐ 830722626	Ø 0,9+1,2 ☐ 830722626	-	-

PRODUCTS ACCESSOIRES	TELMIG 200/2, 203/2, 250/2, 251/2 TURBO	TELMIG 281 TURBO	DIGITAL MIG 220, DIGITAL MIG 222 TWIN, MASTERMIG 220/2, TECHNOMIG 200	DIGITAL MIG 330, MASTERMIG 300	MASTERMIG 270/2, TECHNOMIG 225	MASTERMIG 400, DIGITAL SUPERMIG 360, SUPERMIG 380
Toorts Torche	3 m 830742180 4 m 830742181	3 m 830742183 4 m 830742184	3 m 830742180 4 m 830742181 5 m 830742182	3 m 830742183 4 m 830742184 5 m 830742185	3 m 830742183 4 m 830742184 5 m 830742185	3 m 830742186 4 m 830742187 5 m 830742188
Lastip Tube contact Staal / Acier	20 PCS Ø 0,6 830722415 Ø 0,8 830722416 Ø 1 830722705	Ø 0,6 830722415 Ø 0,8 830722680 Ø 1 830722681	Ø 0,6 830722415 Ø 0,8 830722416 Ø 1 830722705	Ø 0,6 830722415 Ø 0,8 830722680 Ø 1 830722681 Ø 1,2 830722682	Ø 0,6 830722415 Ø 0,8 830722680 Ø 1 830722681 Ø 1,2 270 830722682	Ø 0,6 830722415 Ø 0,8 830722680 Ø 1 830722681 Ø 1,2 830722682 Ø 1,6 830722797
Lastip Tube contact Al	Ø 0,8 830722556 Ø 1 830722552	Ø 0,8 830722556 Ø 1 830722552	Ø 0,8 830722556 Ø 1 830722552 Ø 1,2 200 830722553	Ø 0,8 830722556 Ø 1 830722552 Ø 1,2 830722553	Ø 0,8 830722556 Ø 1 830722552 Ø 1,2 270/2 830722553	Ø 0,8 830722556 Ø 1 830722552 Ø 1,2 830722553 Ø 1,6 830722818
Bek conisch Bec conique	10 PCS 830722423	830722685	830722423	830722685	830722685	830722792
Bek met fijne kop Bec à tête fine	10 PCS 830722151	830722686	830722151	830722686	830722686	830722793
Bek cilindrisch Bec cylindrique	10 PCS 830722149	830722684	830722149	830722684	830722684	-
Bek spotlas nagels Bec pointage clous	830722672	-	830722672	-	-	-
Bek spotlas Bec pointage	830722150	830722687	830722150	830722687	830722687	830722794
Draadgeleider Gainé pour fil	Fe 3 m 0,6+0,8 830722437 830722437	Ø 0,6+0,8 830722437 Ø 1+1,2 830722689	Ø 0,6+0,8 830722437 Ø 1+1,2 830722689	Ø 0,6+0,8 830722437 Ø 1+1,2 830722689	Ø 0,6+0,8 830722437 Ø 1+1,2 830722689	Ø 0,6+0,8 400 830722437 Ø 1+1,2 830722689 Ø 1+1,6 830722795
	Fe 5 m 0,6+0,8 830722712 Ø 1+1,2 830722766	Ø 0,6+0,8 830722712 Ø 1+1,2 830722766	Ø 0,6+0,8 830722712 Ø 1+1,2 830722766	Ø 0,6+0,8 830722712 Ø 1+1,2 830722766	Ø 0,6+0,8 830722712 Ø 1+1,2 830722766	Ø 0,6+0,8 400 830722712 Ø 1+1,2 830722766 Ø 1,2+1,6 830722796
	Al 3 m 0,1+1,2 830722516	Ø 1+1,2 830722516	Ø 1+1,2 830722516	Ø 1+1,2 830722516	Ø 1+1,2 830722516	Ø 1+1,2 400, 380 830722516 360 830742164 Ø 1,2+1,6 830722597
Zwannahals Lance	830722305	830722696	830722305	830722696	830722696	830722788
Veer voor bek Ressort pour bec	10 PCS 830722319	830722690	830722319	830722690	830722690	-
Gasdiffusor Gaz diffuseur	10 PCS -	830722688	-	830722688	830722688	830722791
Lastiphouder Support tube	10 PCS -	-	-	-	-	830722789
Aandrijfrol Galets	Fe Ø 0,6+0,8 830722019 Ø 1 830722629	Ø 0,6+0,8 830722019 Ø 1 830722629	Ø 0,6+0,8 830722112 Ø 1+1,2 830742054	Ø 0,6+0,8 830722225 Ø 0,8+1 830722227 Ø 1+1,2 830742366 Ø 1,2+1,6 830722241	Ø 0,6+0,8 830722112 Ø 1+1,2 830742054	Ø 0,6+0,8 830722225 Ø 0,8+1 830722227 Ø 1+1,2 830742366 Ø 1,2+1,6 830722241
	Al Ø 1 830722629	Ø 1 830722629	Ø 0,8+1 830742090 Ø 1+1,2 830722127 Ø 1,2+1,6 830722128	Ø 0,8+1 830742304 Ø 1+1,2 830722167 Ø 1,2+1,6 830722169	Ø 0,8+1 830742090 Ø 1+1,2 830722127 Ø 1,2+1,6 830722128	Ø 0,8+1 830742304 Ø 1+1,2 830722167 Ø 1,2+1,6 830722169
	Flux	-	-	-	Ø 1+1,6 830722289 Ø 1,4+2,4 830722195	-

PRODUCTS ACCESSOIRES	DIGITAL SUPERMIG 460, DIGITAL SUPERMIG 560, SUPERMIG 480	R.A. VERSION* DIGITAL SUPERMIG 460, DIGITAL SUPERMIG 560, SUPERMIG 480	INVERPULSE 320, INVERPULSE 320 R.A., MASTERMIG 500, MASTERMIG 500 R.A.	ELECTROMIG 410, INVERPULSE 420, 425, 625, SUPERMIG 580, SYNERGIC MIG 600	R.A. VERSION* ELECTROMIG 410, INVERPULSE 420, 425, 625, SUPERMIG 580, SYNERGIC MIG 600	SPOOL GUN M6
Toorts Torche	3 m ☐ 830722798 5 m ☐ 830722800	3 m R.A. ☐ 830722625 5 m R.A. ☐ 830722683	3 m ☐ 830742186 4 m ☐ 830742187 5 m ☐ 830742188 3 m R.A. ☐ 830742449 5 m R.A. ☐ 830742451	3 m ☐ 830722798 5 m ☐ 830722800	3 m R.A. ☐ 830722625 5 m R.A. ☐ 830722683	☐ 830802407
Lastip Tube contact Staal / Acier	20 PCS Ø 0,8 ☐ 830722581 Ø 1 ☐ 830722582 Ø 1,2 ☐ 830722583 Ø 1,6 ☐ 830722587		Ø 0,6 ☐ 830722415 Ø 0,8 ☐ 830722680 Ø 1 ☐ 830722681 Ø 1,2 ☐ 830722682 Ø 1,6 ☐ 830722797		Ø 0,8 ☐ 830722581 Ø 1 ☐ 830722582 Ø 1,2 ☐ 830722583 Ø 1,6 ☐ 830722587	Ø 0,6 ☐ 830722415 Ø 0,8 ☐ 830722416
Lastip Tube contact Al	20 PCS Ø 1 ☐ 830742159 Ø 1,2 ☐ 830742160 Ø 1,6 ☐ 830742161 Ø 2 ☐ 830722772		☐ 320, 320 R.A. Ø 0,8 ☐ 830742466 Ø 1 ☐ 830742467 Ø 1,2 ☐ 830742468		Ø 1 ☐ 830742159 Ø 1,2 ☐ 830742160 Ø 1,6 ☐ 830742161 Ø 2 ☐ 830722772	Ø 0,8 ☐ 830722556 Ø 1 ☐ 830722552
Lastip Tube contact Flux	10 PCS Ø 1 ☐ 830722769 Ø 1,2 ☐ 830722770 Ø 1,6 ☐ 830722771 Ø 2 ☐ 830722772		☐ 500 Ø 0,8 ☐ 830722556 Ø 1 ☐ 830722552 Ø 1,2 ☐ 830722553		Ø 1 ☐ 830722769 Ø 1,2 ☐ 830722770 Ø 1,6 ☐ 830722771 Ø 2 ☐ 830722772	-
Bek conisch Bec conique	10 PCS ☐ 830722808	☐ 830722585	☐ 320 ☐ 830722792 ☐ 320 R.A., 500 R.A. ☐ 830742457	☐ 830722808	☐ 830722585	☐ 830722423
Bek cilindrisch Bec cylindrique	10 PCS ☐ 830722809	☐ 830722595	☐ 320 R.A., 500 R.A. ☐ 830742456	☐ 830722809	☐ 830722595	☐ 830722149
Bek met fijne kop Bec à tête fine		-	☐ 320 ☐ 830722793 ☐ 320 R.A., 500 R.A. ☐ 830742458	-	-	☐ 830722151
Bek spotlas Bec pointage		-	☐ 320 ☐ 830722794 ☐ 320 R.A., 500 R.A. ☐ 830742459	-	☐ 830722594	-
Draadgeleider Gainé pour fil	Fe 3 m ▶ Ø 1,2 ☐ 830722689 Ø 1,2+1,6 ☐ 830722795	Ø 1,2 ☐ 830722590 Ø 1,2+1,6 ☐ 830722588	Ø 0,6+0,8 ☐ 830722437 Ø 1,2 ☐ 830722689	Ø 1,2 ☐ 830722689 Ø 1,2+1,6 ☐ 830722795	Ø 1,2 ☐ 830722590 Ø 1,2+1,6 ☐ 830722588	-
	Fe 5 m ▶ Ø 1,2 ☐ 830722766 Ø 1,2+1,6 ☐ 830722796	Ø 1,2 ☐ 830722780 Ø 1,2+1,6 ☐ 830722767	Ø 0,6+0,8 ☐ 320 ☐ 830722710 Ø 1,2 ☐ 320 ☐ 830722767 ☐ 320 R.A., 500 R.A. Ø 0,6+0,8 ☐ 830722780	Ø 1,2 ☐ 830722766 Ø 1,2+1,6 ☐ 830722796	Ø 1,2 ☐ 830722780 Ø 1,2+1,6 ☐ 830722797	-
	Al 3 m ▶ Ø 1,2 ☐ 830742164 Ø 1,2+1,6 ☐ 830722597 Ø 1,2 ☐ 830722516		Ø 1,2 ☐ 830742164 ☐ 500, 500 R.A. Ø 1,2 ☐ 830722516		Ø 1,2 ☐ 830742164 Ø 1,2+1,6 ☐ 830722597	-
Zwanehals Lance	☐ 830722801	☐ 830722708	☐ 320 ☐ 830722788 ☐ 320 R.A., 500 R.A. ☐ 830742469	☐ 830722801	☐ 830722708	☐ 830990662
Veer voor bek Ressort pour bec	10 PCS	-	-	-	-	☐ 830722319
Gasdiffusor Gaz diffuseur	10 PCS ☐ 830722802	☐ 830722593	☐ 320 ☐ 830722791 ☐ 320 R.A., 500 R.A. ☐ 830742465	☐ 830722802	☐ 830722593	-
Lastiphouder Support tube	10 PCS ☐ 830722807	☐ 830722709	☐ 320 ☐ 830722789 ☐ 320 R.A., 500 R.A. ☐ 830742470	☐ 830722807	☐ 830722709	-
Fe	Ø 0,6+0,8 ☐ 830722225 Ø 0,8+1 ☐ 830722227 Ø 1+1,2 ☐ 830742366 Ø 1,2+1,6 ☐ 830722241		Ø 0,6+0,8 ☐ 830722225 Ø 1+1,2 ☐ 830742366	Ø 0,6+0,8 ☐ 600, 420, 425, 625, 580 ☐ 830722225 Ø 0,8+1 ☐ 830722227 Ø 1+1,2 ☐ 600, 420, 425, 625, 580 ☐ 830742366 Ø 1,2+1,6 ☐ 830722241		Ø 0,6+0,8 ☐ 830742191
Aandrijfrol Galets	Al Ø 0,8+1 ☐ 830742304 Ø 1+1,2 ☐ 830722167 Ø 1,2+1,6 ☐ 830722169		Ø 0,8+1 ☐ 830742304 Ø 1,2+1,6 ☐ 830722169	Ø 0,8+1 ☐ 830742304 Ø 1+1,2 ☐ 830722167 Ø 1,2+1,6 ☐ 830722169		Ø 0,8+1 ☐ 830742193
Flux	Ø 1+1,6 ☐ 830722289 Ø 1,4+2,4 ☐ 830722195		Ø 1+1,6 ☐ 830722289	Ø 1+1,6 ☐ 830722289 Ø 1,4+2,4 ☐ 830722195		-

PRODUCTS ACCESSOIRES	TECNICA PLASMA 18, TECNICA PLASMA 34 K	TECNICA PLASMA 31, TECHNOLOGY PLASMA 41	TECHNOLOGY PLASMA 54 K	SUPERIOR PLASMA 60, SUPERPLASMA 80/3	SUPERIOR PLASMA 90, ENTERPRISE PLASMA 160, SUPERPLASMA 120/3	SUPERPLASMA 62/2
Toorts Torche	 4 m ☒ 830742239	 4 m ☒ 830742237	 4 m ☒ 830742381	 6 m ☒ 60 ☒ 830742040 6 m ☒ 80/3 ☒ 830722474	 6 m ☒ 830722332 12 m ☒ 830722333	 6 m ☒ 830742065
Toorts Torche		-	-	-	12 m ☒ 830722334	-
Bek Bec	 ☒ 830802092 KIT 5 STKS-PCS	☒ 830802423	☒ 830802423	☒ 830802077	∅ 1,3 ☒ 830802119 ∅ 1,6 ☒ 160 HF, 120/3 HF ☒ 830802124	☒ 830802423 ☒ 830802424
Electrode	 ☒ 830802420 KIT 5 STKS-PCS	☒ 830802420	☒ 830802420	☒ 830802076	☒ 830802122	☒ 830802420 ☒ 830802421
Lange bek Bec prolongé	 KIT 5 STKS-PCS	-	☒ 830802429	-	☒ 830802083	☒ 830802429
Lange elektrode Electrode prolongée	 KIT 5 STKS-PCS	-	☒ 830802428	-	☒ 830802082	☒ 830802428
Toorts cap Embout torche	 ☒ 830802096 KIT 2 STKS-PCS	☒ 830802425	☒ 830802485	☒ 830802081	☒ 830802126	☒ 830802425
Spacer Entretoise	 KIT 5 STKS-PCS	-	-	☒ 830802128	☒ 830802127	☒ 830802128
Isolerende diffusor Diffuseur isolant	 ☒ 830802422 KIT 5 STKS-PCS	☒ 830802422	☒ 830802422	☒ 830802080 KIT 2 STKS-PCS	☒ 830802123	☒ 830802422
Koper diffusor Diffuseur laiton	 KIT 5 STKS-PCS	-	-	-	☒ 830802121	-
OR ring Joint OR	 KIT 10 STKS-PCS	-	-	-	☒ 830802120	-
Magnetische band Rayure magnétique	 ☒ 830802143	☒ 830802143	☒ 830802143	☒ 830802143	☒ 830802143	☒ 830802143
Cirkelsnijder Unité de découpage circulaire	 ☒ 830802214	☒ 830802214	☒ 830802214	-	-	☒ 830802214
	-	-	-	☒ 830802218	☒ 830802211	-